



Parts



Ports

- 1 Power Input
- 2 Touch Screen
- 3 Microphone
- 4 HDMI
- 5 USB
- 6 Output 12v
- 7 Output 12v
- 8 IR
- 9 LAN
- 10 USB
- 11 Remote
- 12 SD
- 13 Power Input


Mount




Mount Base Mount Body

*screws are provided inside the box


Accessories




1 Upon receiving your order, open the crate and inspect the contents. Damages must be reported within 24 hours.




2 Attach the mount base to the mount body using the screws provided.




3 Position the whole mount to the desired location before attaching the QAIO Flex Mirror to it.




4 Attach the QAIO Flex to the mount by putting together the brackets.




- 5**
- (5.1) Connect the power cord to the QAIO Flex Mirror power input.
 - (5.2) Connect the power supply to the power port on the mount.
 - (5.3) Plug the power supply to your power outlet.



6 Attach one side of the 3M velcro pad to the back of the android box.




7 Attach the other side of the 3M velcro pad to the back of the QAIO Flex.




8 Connect the following to the android box:


- A USB Cable
- B USB Cable
- C HDMI Cable
- D Power Output 12V Cable




9 Plug the 1.5m IR cable at the back of the 12.1" panel of the QAIO Flex as indicated above.




10 Turn on the the 12.1 inch panel by pressing the power button using the 12.1 inch panel remote.




11 Once the screen is on. Click on the icon that looks like a gear. This will open the up the settings menu where you can connect to the internet.




12 Go to the QAIO website, download the mirror feeds app, and install it on your mirror. For a more in-depth guide please see the mirrorfeeds manual on the Help center of the QAIO website.




13 Navigate with the wireless keyboard or directly on the mirror to download and manage apps.



14 Turn the Smart TV by pressing the power button using the Evervue Remote.




15 Go to settings and connect to the internet.



16 Manage and control the mirror directly with its touch screen feature.

QAIO Flex (Stand Alone Mount) Application Setup


OPTION 1: Download the application from the Play Store.




1 Turn the Smart TV on by pressing the power button using the Evervue Remote.



2 Go to Play Store.




3 Search for the app you wish to install.




4 Click install and wait for it to finish downloading.

OPTION 1: Download and install APK of the application.



1 Find and download the APK of your desired application online.



2 Once the download is complete. Go to file manager and find the APK you downloaded. Click it and it will be installed.